

Google scholar

proximity "buddy list" query

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations

[Create email alert](#) Results 1 - 10 of about 638. (0.34 sec)Place specific **buddy list** services

JP De Vries - US Patent 6,968,179, 2005 - Google Patents

... The inference engine then returns the inferred resources as results to a search **query** or in ... can be included, such as to identify group(s) of people (eg, a **buddy list**), relationship (eg ... a multi-dimensional space 240, 241 that the inference engine can use to measure **proximity** of ...

[Cited by 94](#) - [Related articles](#) - [All 3 versions](#)Place-specific **buddy list** services

JP De Vries - EP Patent 1,176,840, 2002 - freepatentsonline.com

... Upon the user initiating the search operation via the **query** submission, the information service 100 processes the people/place state data 300 at 403, 404 to determine which of the people BD on the user's **buddy list**(s) are within a selected **proximity** of the user (eg, people B and ...

[Cited by 14](#) - [Related articles](#) - [Cached](#)Efficient indoor **proximity** and separation detection for location fingerprinting

MB Kjærgaard, G Treu, P Ruppel. - Proceedings of the 1st ..., 2008 - portal.acm.org

... provide means to integrate and fuse information from several positioning methods, **query** location information ... For evaluating message efficiency, three parameters were varied: the **proximity** distance p, the ... observed in a pairwise fashion (ie, the size of the **buddy list**), and the ...

[Cited by 9](#) - [Related articles](#)Pastiche: Making backup cheap and easy[\[PDF\] from psu.edu](#)

LP Cox, CD Murray. - ACM SIGOPS Operating Systems ..., 2002 - portal.acm.org

... One is a standard Pastry overlay organized by network **proximity**. The other is organized by file sys-tem overlap. ... If a buddy cannot produce data it claims to hold, the client removes it from its **buddy list** and initiates a search for a replacement. ...

[Cited by 293](#) - [Related articles](#) - [BL Direct](#) - [All 22 versions](#)PLACE-SPECIFIC BUDDY LIST SERVICES

JP De Vries - US Patent App. 20,100/227,594, 2010 - freepatentsonline.com

... Upon the user initiating the search operation via the **query** submission, the information service 100 processes the people/place state data 300 at 403, 404 to determine which of the people BD on the user's **buddy list**(s) are within a selected **proximity** of the user (eg, people B and ...

[Cached](#)PLACE-SPECIFIC BUDDY LIST SERVICES

JP De Vries - US Patent App. 20,100/151,842, 2010 - freepatentsonline.com

... Upon the user initiating the search operation via the **query** submission, the information service 100 processes the people/place state data 300 at 403, 404 to determine which of the people BD on the user's **buddy list**(s) are within a selected **proximity** of the user (eg, people B ...

[Cached](#)SITE DEPENDENT BUDDY LIST ADDITION FOR TEMPORARY PTT COMMUNICATION

GA Dunko. - US Patent App. 20,080/084,455, 2004 - freepatentsonline.com

... When the mobile device leaves the **proximity** of the site, the mobile device undergoes a de-registration process 240 that effectively ... The mobile device responds to the **query** 420 ... the response is positive, however, the mobile device is sent a copy of the site's PTT/M **buddy list** 430 ...

[Cached](#)PLACE-SPECIFIC BUDDY LIST SERVICES

JP De Vries - US Patent App. 12/783,669, 2010 - Google Patents

... Upon the user initiating the search operation via the **query** submission, the information service 100 processes the people/place state data 300 at 403, 404 to determine which of the people BD on the user's **buddy list**(s) are within a selected **proximity** of the user (eg, people B and ...

PLACE-SPECIFIC BUDDY LIST SERVICES

JP De Vries - US Patent App. 12/710,125, 2010 - Google Patents

... Upon the user initiating the search operation via the **query** submission, the information service 100 processes the people/place state data 300 at 403, 404 to determine which of the people BD on the user's **buddy list**(s) are within a selected **proximity** of the user (eg, people B and ...

Place specific **buddy list** services

JP De Vries - US Patent 7,668,537, 2010 - Google Patents

3/30/2011

proximity "buddy list" query - Google S...

... The inference engine then returns the inferred resources as results to a search **query** or in ... can be included, such as to identify group(s) of people (eg, a **buddy list**), relation- ship ... in a multi-dimensional space 240, 241 that the inference engine can use to measure **proximity** of ...

[Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

[Create email alert](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google